

Cumulative Index 1991

Volume 7

<i>February</i>	GERIATRIC SEXUALITY, pages 1-184
<i>May</i>	GASTROENTEROLOGIC PROBLEMS, pages 185-400
<i>August</i>	CEREBROVASCULAR DISEASES IN THE 1990s, pages 401-643
<i>November</i>	GERIATRIC HOME CARE, pages 645-892

Note: Page numbers for complete issues and articles appear in **boldface** type.

- Abdominal pain, in irritable bowel syndrome, 267
- Abuse, of elderly, **831-845**. See also *Elder abuse*.
- Accidents, falls caused by, 709
- Achalasia, and esophageal dysphagia, **222-224**
- Acid peptic disease, **231-254**. See also *Peptic ulcer disease; Ulcer(s)*.
- Activities of daily living (ADL), poststroke rehabilitation for, 514-515
- Acute-care facility, feeding in, 204-209
- Adenomas, and colorectal cancer, 335-336
- Adjustment, in home rehabilitation, 703
- Adult children, living with, effect on sexual expression, 155-156
- Aging, as disease, 387-388
interaction with disease, 196
philosophic approach to, **387-394**
physiologic changes with, 134
psychologic and cultural issues in, 165-167
rationing of medical care in, 390-392
sexual physiology of, drug interactions with, 96-98
sexuality and, 1-7
- Agitation, in dementia, home management of, 793
- Airway, establishment of, in ischemic stroke, 456
- Alcohol consumption, and chronic subdural hematoma, 585
and intracerebral hemorrhage, 551
and vascular dementia, 606
- Alcoholism, effect on sexuality, 20, 103, 117-118, 138
case study of, 145-146
- Alpha-blockers, and sexual dysfunction, 101
- Alzheimer's disease, effect on sexual function, 139-142
histologic features of, and intracerebral hemorrhage, 555
- Amaurosis fugax, 526
stroke involving, 433
- American Academy of Home Care Physicians (AAHCP), role in home health care quality assurance, 859, 862
- American Medical Association (AMA), role in home health care quality assurance, 855, 862
- Amino acid antagonists, excitatory, for ischemic stroke, 462
- Aminophylline, for ischemic stroke, 467
- 21-Aminosteroids, for ischemic stroke, 468
- Amitriptyline, for poststroke depression, 499-500
- Amnestic effects, of antidepressants, 500
- Amoxapine, for poststroke depression, 502
- Amyloid angiopathy, cerebral, **617-630**
amyloid plaques in, 622
and intracerebral hemorrhage, 553-555
differential diagnosis of, 624-625
epidemiology of, 617-618
histopathology of, 620-624
molecular, 623-624
parenchymal, 621-623
vascular, 620-621
laboratory features of, 625-626

- Amyloid angiopathy (*Continued*)
 signs and symptoms of, 618-620
 treatment of, 626-627
- Amyotrophic lateral sclerosis, and
 oropharyngeal dysphagia, 219
- Ancrod, for ischemic stroke, 466
- Androgen, and sexual function in women,
 32, 47, 91
- Andrology Clinic case studies, 144-148
- Aneurysm, and subarachnoid hemorrhage,
 569
 surgical treatment of, 575-576
 cerebral, seizures with, 487
 intracavernous, and ocular motility distur-
 bances, 540, 542
 ruptured, and chronic subdural hema-
 toma, 584
- Angiography, for carotid-cavernous fistula,
 539
 for cerebral amyloid angiopathy, 625
 for chronic subdural hematoma, 589
 for lower intestinal bleeding, 314-316
- Angionecrosis, in brain, 444
- Angiopathy, amyloid. *See Amyloid
 angiopathy.*
- Angiotensin converting enzyme inhibitors,
 and sexual dysfunction, 101
- Anorexia, in home hospice care, 812
- Anthropometric measures, 198-199
- Antiarrhythmic agents, and sexual
 dysfunction, 102
- Antibiotics, for cavernous sinus syndrome,
 537
 intravenous, home-administered, 749-763
- Anticholinergic agents, and sexual
 dysfunction, 103
- Anticholinergic effects, of antidepressants,
 500
- Anticoagulants, for atherothromboembolic
 stroke prophylaxis, 411-413
 for cavernous sinus syndrome, 537
 for cerebral amyloid angiopathy, 626
 for ischemic stroke, 463-464
- Anticonvulsants, and sexual dysfunction, 102
 for cerebral amyloid angiopathy, 626
 for poststroke seizures, 489
- Antidepressants, and sexual dysfunction, 98-
 99
 for irritable bowel syndrome, 279
 for poststroke depression, 499-501
- Antifibrinolytic agents, for subarachnoid
 hemorrhage, 575
- Antihypertensive medication, and sexual
 dysfunction, 66, 99-101, 169
- Antilipemic agents, and sexual dysfunction,
 102
- Antiplatelet therapy, for
 atherothromboembolic stroke
 prophylaxis, 404-410
 for carotid artery disease, 421
 for ischemic stroke, 462-463
- Antispasmodics, for irritable bowel
 syndrome, 278
- Antithrombotic therapy, for acute
 cardiogenic stroke, 439-440
 for ischemic stroke, 462-464
- Anxiety, effect on sexual function, 138-139
- Anxiolytics, and sexual dysfunction, 99
- Aphasia, in chronic subdural hematoma, 587
- Apoplexy, pituitary, 533-535
- Appetite, aging-related changes in, 193-195
- Arm, poststroke rehabilitation of, 515
- Arterial disease, and erectile failure, 77
- Arterial disorganization, in brain, 444
- Arteriosclerotic encephalopathy, subcortical,
 dementia with, 608
- Arteriovenous malformation, and chronic
 subdural hematoma, 584
 and subarachnoid hemorrhage, 569, 578-
 580
- Arteritis, fibrinoid, in brain, 444
- giant cell, and permanent visual loss,
 529-533
- Arthritis, effect on sexuality, 122
- Ascites, 380-381
- L-Aspartate, for ischemic stroke, 462
- Aspirin, for acute cardiogenic stroke, 440
 for atherothromboembolic stroke prophy-
 laxis, 404-407
 for carotid artery disease, 421
 for ischemic stroke, 463
 ulcers associated with, 245
- Assistive devices, home assessment of, 726
- Ataxia, one-sided, lacunar infarction and,
 448
- Atenolol, for ischemic stroke, 467
- Atherosclerosis, and lacunar brain infarction,
 444
 and stroke, prevention of, 401-416
- Atrial fibrillation, and cardiogenic stroke,
 431, 436-439
- Autonomy, in elder abuse, 841
- Barbiturates, for cerebral edema, in
 ischemic stroke, 460
- Barium enema, for colorectal cancer, 334
 for lower intestinal bleeding, 313-314
- Barthel index, of stroke outcome, 519
- Basal ganglia, left, lesions of, depression
 with, 496
- Bathroom, home assessment of, 722-724
- Beanpole family, and elder abuse, 835
- Bedroom, home assessment of, 724-725
- Behavior, poststroke rehabilitation of, 517-
 518
 problems in dementia, home management
 of, 787-801
- Beneficence, in elder abuse, 842

- Benzodiazepines, for dementia home management, 798-799
- Beta-blockers, and sexual dysfunction, 100-101
for ischemic stroke, 467
- Beta protein, in cerebral amyloid angiopathy, 624
- Biliary tract disease, 347-370
 cholangitis, drainage for, 356
 cirrhosis, primary, 378-380
 obstruction, benign, 358-362
 malignant, 362-363
 pancreatitis, 357-358
 stricture, 358-363
 postsurgical, 358-360
- Binswanger's disease, and vascular dementia, 608
- Biochemical parameters, measurement of, 199-200
- Bladder cancer, and erectile failure, 76-77
- Bleeding diathesis, and chronic subdural hematoma, 584
- Blood flow, effect on penile erection, 64
- Blood pressure, management of, in stroke patient, 475-477
 monitoring of, in ischemic stroke, 457
- Board-and-care facilities, sexual expression of elders in, 156-157
- Body composition, measurement of, 199
- Body fat, aging-related changes in, 193
- Border-zone infarctions, dementia with, 609
- Bowel dysfunction. *See also Irritable bowel syndrome.*
 diagnosis of, 276-277
 incidence by age, 269
 poststroke management of, 509
- Brain, atherothromboembolic infarction of, prevention of, 401-416
 biopsy of, for cerebral amyloid angiopathy, 625
 radioisotopic scans of, for chronic subdural hematoma, 589
 tumor of, and chronic subdural hematoma, 584
- Breast, cancer of, and sexual dysfunction, 54-56
 decreased vasocongestion of, with aging, 89
- Bromocriptine, for impotence, 104
- Bronchodilators, anticholinergic, for home respiratory care, 779-780
- Bruit, asymptomatic, in carotid artery disease, 417-418
- Bulking agents, for irritable bowel syndrome, 276-278
- Bupropion, for poststroke depression, 502
- Burns, 717-718
- for ischemic stroke, 460
 for subarachnoid hemorrhage, 577
- Caloric density, of tube feeding formulas, 205-206
- Calorie needs, aging-related changes in, 193-194
- Cancer, effect on sexuality, 122-123
 inflammatory bowel disease vs, 293
 of colon and rectum, 331-346. *See also Colorectal cancer.*
- Carbamazepine, for dementia home management, 799
 for poststroke seizures, 489
- Carbonic anhydrase inhibitors, and sexual dysfunction, 103
- Carcinomatosis, meningeal, and chronic subdural hematoma, 584
- Cardiac care, in stroke patient, 480
- Cardiac status, monitoring of, in ischemic stroke, 456
- Cardiogenic stroke, 429-442
- Cardiovascular agents, and sexual dysfunction, 99-102
- Cardiovascular disease, effect on sexuality, 123-124
- Caregivers, in home health care, burden on, 660, 817-829
 family relationship problems, 820
 sources and solution of, 819
 conflict in, 818
 education of, and medication compliance, 741
 pain management by, 767-768
 role in poststroke depression, 503
- Carotid artery, external, biopsy of, in giant cell arteritis, 530-531
- intracranial, aneurysm of, frequency of, 574
 stenosis of, asymptomatic, 418-419
 studies of, in lacunar infarction, 450-451
- Carotid artery disease, asymptomatic, 417-428
 plaque morphology in, and prognosis, 419-420
 risk factors in, 419-421
 treatment of, 421-424
- Carotid-cavernous fistula, and ocular motility disturbances, 537-540
- Carotid endarterectomy, for carotid artery disease, 421
- CASANOVA, 424
- Case-finding, in home assessment, 678
- Catastrophic reactions, in dementia, home management of, 794
- Catheterization, urinary, following stroke, 509
- Caudate nucleus, hemorrhage in, clinical features of, 557-558
- Cavernous sinus syndrome, and ocular motility disturbances, 535-537
- Calcium channel blockers, and sexual dysfunction, 101

- Cavernous sinus syndrome (*Continued*)
with pituitary apoplexy, 534
- Central nervous system, changes with aging,
effect on sexual function, 86
disorders of, and impotence, 66-67
and oropharyngeal dysphagia, 218-219
in aging men, 96
- Central venous nutrition, 210
- Cerebellum, hemorrhage in, clinical features
of, 561
- Cerebral artery(ies), amyloid angiopathy of.
See Amyloid angiopathy.
aneurysm of, frequency of, 574
middle, infarction of, hemorrhagic, 434
seizures in, 485
- Cerebral cortex, stroke involving, and
seizures, 484
cardiogenic source of, 433
in cerebral amyloid angiopathy, 621-
622
- Cerebral edema, in ischemic stroke,
management of, 458-460
with chronic subdural hematoma, 593
- Cerebral infarction, and vascular dementia,
606
embolic, seizures in, 484-485
in cerebral amyloid angiopathy, 619
- Cerebral ischemia, acute, medical
management of, 455-473
- Cerebrospinal fluid, testing of, for cerebral
amyloid angiopathy, 625
- Cerebrovascular disease, effect on sexuality,
123-124
ischemic, seizures in, 484-485
management of, ethical issues in, 631-636
- Change, illness as agent of, 827
- Chemotherapeutic agents, and sexual
dysfunction, 103
- Chest pain, with pulmonary embolism, in
stroke patient, 479
- Children, adult, living with, effect on sexual
expression, 155-156
- Chlorpromazine, for dementia home
management, 798
- Cholangitis, 355-357
primary sclerosing, 361-362
- Cholecystitis, acute, in gallstone disease,
352-353
- Cholelithiasis, 354-355
- Cholesterol, serum levels of, and
intracerebral hemorrhage, 551
- Chronic-care facility, feeding in, 204-209
- Chronic illness, and low sexual desire, 175
as agent of change, 827
- Chronic obstructive pulmonary disease,
home oxygen therapy for, 780-782
- Cigarette smoking, and intracerebral
hemorrhage, 551
and peptic ulcer disease, 238
and risk of stroke, 402
and vascular dementia, 606
- Ciliary artery, posterior, occlusion of, and
permanent visual loss, 529
- Cirrhosis, biliary, primary, 378-380
- Climacteric, normal, management of, 31-33
- Climate, problems with, in travel, 323-324
- Clinical parameters, measurement of, 200
- Clumsy hand syndrome, in lacunar
infarction, 447-448
- Cognitive function, impairment of, as
barrier to sexual expression, 139-142,
158
tests of, in vascular dementia, 609
- Colitis, infectious, and lower intestinal
bleeding, 309-311
ischemic, and lower intestinal bleeding,
304-308
barium enema of, 306
inflammatory bowel disease vs, 292
mucous, incidence by age, race, and sex,
270
- Colon, cancer of, 331-346. *See also*
Colorectal cancer.
diverticula of, and lower intestinal bleed-
ing, 304-305
ischemia of, and lower intestinal bleeding,
304-308
causes of, 305
distribution and length of, 308
neoplasm of, and lower intestinal bleed-
ing, 311
stricture of, barium enema of, 306
- Colonoscopy, for colorectal cancer, 334
for lower intestinal bleeding, 314
- Colorectal cancer, 331-346
American Cancer Society recommenda-
tions concerning, 334
and erectile failure, 76-77
causes and pathogenesis of, 332
classification of, 338-339
clinical features of, 336-337
epidemiology of, 331-332
gross features of, 337
histology of, 337
laboratory findings in, 337
management of, 339-343
chemotherapy, 340-342
in aged, 342-343
laser therapy, palliative, 342
patient follow-up of, 343
radiation therapy, adjuvant, 340
surgery, 339-340
natural history of, 338
pathology of, 337-339
physical examination for, 337
prevention of, dietary recommendations
for, 343
prognosis in, 338, 339
risk factors for, 333

- screening for, antibiotic prophylaxis in, 335
 guidelines for, 332-335
 signs and symptoms of, 336
 staging of, 337-339
 US death rate for, 332
- Commercial food supplements, 203-204
- Common bile duct, obstruction of, 354-355
- Communication, family patterns of, effect on home health care, 826-827
 poststroke rehabilitation of, 515-516
- Community elderly, functional assistance needs of, 653-656
- Community Health Accreditation Program, Inc (CHAP), 854-855, 863
- Community services, home assessment of, 727-729
- Complementary marital arrangement, effect on home health care, 823-824
- Compliance. *See Patient compliance.*
- Computed tomography, for chronic subdural hematoma, 587, 589-590
 for lacunar infarction, 443
 for subarachnoid hemorrhage, 572, 573
- Congestive heart failure, and sexual function, 170
- Conjunctiva, chemosis of, with carotid-cavernous fistula, 538
- Consciousness, impaired, in intracerebral hemorrhage, 556
 with pituitary apoplexy, 534
- Constipation, and lower intestinal bleeding, 311
 in irritable bowel syndrome, management of, 280
- Continence, poststroke rehabilitation of, 518
- COPD, home oxygen therapy for, 780-782
- Coronary disease, and sexual function, 168-170
- Corticosteroids. *See Steroids.*
- Cost-effectiveness, of home health care, 865-874
- Counseling/therapy, for sexual problems, 161-179
- Cranial nerve, compression of, subarachnoid hemorrhage and, 570-571
 dysfunctions of, in cavernous sinus syndrome, 535-536
- Crisis intervention, in home assessment, 679
- Crohn's disease, 288
- Cultural attitudes, and sexuality, 135, 174
- Cystatin C, in cerebral amyloid angiopathy, 624
- Cystectomy, radical, and sexual dysfunction, 56-57
- Death, in home hospice care, 814-815
- Deconditioning, effect on poststroke rehabilitation, 514
- Defecation, disturbed, in irritable bowel syndrome, 267
- Dehydration, in home hospice care, 812
 in travel, 324
- Delusions, in dementia, home management of, 794-795
- Dementia(s), and sexual dysfunction, 117, 139-142
 behavioral problems in, demographics of, 787-790
 factors precipitating or worsening, 790-791
 frequency and types of, 788-790
 home management of, 787-801
 general methods for, 791-792
 psychoactive drugs for, 796-799
 specific methods in, 792-796
 treatment goals and approaches in, 790-792
- diagnostic criteria for, 788
 in cerebral amyloid angiopathy, 619-620
 vascular (multi-infarct), 599-615
 classification of, 602-603
 clinical and laboratory tests for, 609-610
 clinical syndromes of, 607-609
 definition of, 600
 diagnostic criteria for, 600-603
 epidemiology of, 603-607
 neuropathology of, 610-611
 prevalence and incidence of, 603-605
 prognosis in, 611
 risk factors in, 606-607
 treatment of, 611-612
- Department of Veterans Affairs, in home health care, 649
- Dependent living situations, sexuality in, 153-160
- Depression, and impotence, 67
 criteria for, 496
 drugs causing, 502-503
 effect on sexuality, 116-117, 137-138
 poststroke, 493-506
 biologic basis of, 497-499
 diagnosis of, 494-497
 incidence of, 493
 symptoms of, 494-495
 treatment of, 499-503
- Desipramine, for poststroke depression, 499-500
- Detachment, family, effect on home health care, 826
- Dextran, for ischemic stroke, 466
- Diabetes mellitus, and impotence, 66-67
 and risk of stroke, 402
 and vascular dementia, 606
 effect on sexuality, 114-116, 167-168
- Day-night disturbance, in dementia, home management of, 794

- Diabetic foot infection, 757
- Dialysis, and chronic subdural hematoma, 585
- Diarrhea, in traveling elderly, 325-326, 328
pretravel advice concerning, 322
- Diazepam, for poststroke seizures, 489
- Dietary fiber, for irritable bowel syndrome, 276-278
- Dietary intake, evaluation of, 198, 202
- Dietary problems, in traveling elderly, 325-326
- Digoxin, and sexual dysfunction, 102
- Dipyridamole, for atherothromboembolic stroke prophylaxis, 409
for carotid artery disease, 421
- Disease(s), aging as, 387-388
chronic, and geriatric sexuality, 113-131
in traveling elderly, 324-328
interaction with aging, 196
- Disuse atrophy, in female sexual dysfunction, 33
- Diuretics, and sexual dysfunction, 99-100
for intracranial hypertension, in intracerebral hemorrhage, 562
- Diversion colitis, and lower intestinal bleeding, 311
- Diverticula, colonic, and lower intestinal bleeding, 304-305
relation to irritable bowel syndrome, 275
- Diverticulitis, colonic, barium enema of, 307
- Diverticulosis, inflammatory bowel disease vs, 292
- Dizziness, and falls, 711
- Do not resuscitate/intubate orders, for home hospice care, 815
for home respiratory care, 782
- Doxepin, for poststroke depression, 499-500
- Drop attacks, and falls, 711
- Drug(s), abuse of, and subarachnoid hemorrhage, 580
cost of, and medication noncompliance, 741
depression caused by, 502-503
effects on sexual function, 96-98
hepatotoxicity with, 371-374
history of, in home medication assessment, 734
metabolism of, 373
reactions to, 373-374
- Duodenal ulcer, 242-243
Helicobacter pylori infection and, 237
- Durable power of attorney for health care, 808
- Dying patient, home hospice care for, 803-816. See also *Home hospice care*.
- Dysarthria, lacunar infarction and, 447-448
poststroke rehabilitation of, 515
- Dyspareunia, and decreased sexual activity, 45
- Dyspepsia, nonulcer, ulcerlike symptoms with, 249
- Dysphagia, 216-228
commercial food supplements for, 203
esophageal, 221-228
in irritable bowel syndrome, 268
oropharyngeal, 217-221
poststroke rehabilitation of, 517
- Dysphasia, poststroke rehabilitation of, 516
- Dyspnea, in home hospice care, 813
with pulmonary embolism, in stroke patient, 479
- Dysthymic disorder, criteria for, 496
- Early satiety, in irritable bowel syndrome, 268
- Eating dependency, in institutionalized patients, 197-198
- Edema, cerebral, in ischemic stroke, management of, 458-460
periorbital, with carotid-cavernous fistula, 538
- Ejaculatory problems, in aging men, 97, 162
in diabetes, 168
- Elder abuse, 831-845
clinical assessment of, 836-842
family history, 838
medical history, 837-838
physical examination, 838-839
psychological, 839-840
risk factor identification, 840
definitions of, 831-832
ethical issues in, 840-842
etiology and risk factors for, 834-836
intervention in, 842-843
laws regarding, 843
types of, 832-834
- Elderly, acid peptic disease in, 231-254
assessment of, in home, 677-693. See also *Home assessment*.
biliary tract disease in, 347-370
functional assistance needs of, 653-656
gastroenterologic diagnoses in, 266
inflammatory bowel disease in, 287-299
irritable bowel syndrome in, 265-286
liver diseases in, 371-385
lower intestinal bleeding in, 301-319
nutritional problems of, 191-214
physician view of, in hospitals, 388-389
sexual problems in, 161-179
swallowing disorders in, 215-230
travel-related problems in, 321-330
upper gastrointestinal bleeding in, management of, 255-264
urologic disease and surgery in, 75-78
- Electroencephalography, for chronic subdural hematoma, 588
role of, in poststroke seizures, 488

- Electrolytes, management of, in ischemic stroke, 456
- Elemental diets, for tube-feeding, 207
- Embolism, cardiogenic sources of, 431, 434-435
- Embolization, for carotid-cavernous fistula, 539
- Emotional expressions, in family, effect on home health care, 826
- Encephalopathy, arteriosclerotic, dementia with, 608
- Endarterectomy, for carotid artery disease, 422-424
- Endocarditis, infective, and subarachnoid hemorrhage, 580
- Endocrine system, in aging men, 96
in geriatric sexuality, 85-93
- Endothelial surface infections, home intravenous antibiotic therapy for, 757
- Enmeshment, family, effect on home health care, 826
- Enterocolitis, inflammatory bowel disease vs, 292
- Environment, home assessment of, 682
- Epilepsy, development of, following intracerebral hemorrhage, 486
following subarachnoid hemorrhage, 487
in chronic subdural hematoma, 587
in stroke patients, 484
- Epsilon-aminocaproic acid, for subarachnoid hemorrhage, seizures with, 487
- Erectile failure. See *Impotence*.
- Erection, physiology of, 74-75
effects of aging on, 63-64
- Erythrocyte sedimentation rate, in giant cell arteritis, 530
- Esophagus, lesions of, and esophageal dysphagia, 221-228
carcinoma, 225-226
diffuse spasm, 224-225
medication-induced injury, 227-228
rings and webs, 226
tumor, 216, 217
vascular, 227
and oropharyngeal dysphagia, 220
- Estradiol therapy, and sexual function in women, 91
- Estrogen, and female sexual function, 32, 47-48, 90-91, 107-108, 163
- Ethical issues, in cerebrovascular disease management, 631-636
- Eye(s), deviation of, lacunar infarction and, 448
motility disturbances of, 535-544
pain in, in cavernous sinus syndrome, 535
- Falls, causes of, 709-712
- diagnostic approach to, 714-716
- epidemiology of, 707-709
- incidence of, 708
- patient history in, 714
- physical examination in, 715
- prevention of, 707-731
- risk factors for, 712-714
- therapy for, 716-717
- Family(ies), caregivers in. See *Caregivers*.
dynamics of, in home health care, 659, 817-829
assessment of, 682, 821
developmental stages, 822-823
membership, 821-822
organization, 823-825
structure, 821-827
systems theory of, 820-821
- Fecal incontinence, in irritable bowel syndrome, 267-268
management of, 280-281
- Fecal occult blood, testing for, 333-334
- Feeding process, improvement of, 202-203
- Fiber content, of tube feeding formulas, 206
- Fibrinoid necrosis, in brain, 444
- Financial abuse, of elderly, 834
- Floors/rugs, home assessment of, 720-721
- Fluid(s), intake of, regulation mechanisms of, aging-related changes in, 196
poststroke management of, 456, 508-509
- Flunarizine, for ischemic stroke, 461
- Fluoxetine, for poststroke depression, 502
- Food intake, aging-related changes in, 193-196
supplementation of, 200-202
- Food poisoning, in traveling elderly, 328
- Footwear, home assessment of, 727
- Framingham Study, of stroke outcome, 519
- Frontal lobe, left, lesions of, depression with, 496
- Functional activities, in home rehabilitation, 701
- Functional disabilities, and medication noncompliance, 740-741
- Furosemide, for cerebral edema, in ischemic stroke, 459
- Gait, poststroke rehabilitation of, 514
problems with, and falls, 710
- Gallbladder cancer, in gallstone disease, 354
- Gallstone disease, 347-354
complications of, 352-354
acute cholecystitis, 352-353
gallbladder cancer, 353
gallstone ileus, 353-354
management of, 349-352
expectant, 350
extracorporeal shock-wave lithotripsy, 351-352

- Gallstone disease (*Continued*)
 methyl *tert*-butyl ether, 352
 nonsurgical, 350-352
 oral dissolution therapy, 350-351
 surgical, 349-350
 natural history of, 348-349
 prevalence of, 347-348
 symptoms of, 348
 types of gallstones in, 349
- Gallstone ileus, 353-354
- Gastric disorders, in traveling elderly, 325-326
- Gastric ulcer, 240-242
Helicobacter pylori infection and, 237-238
- Gastritis, and peptic ulcer disease, 235-238
- Gastrointestinal bleeding, lower, 301-319
 upper, 255-264
 endoscopy of, 258-261
 for esophageal varices, 260-261
 for nonvariceal lesions, 259-260
 sedation with, 258
 technique of, 259-261
 history of, 256-257
 initial evaluation of, 256-258
 physical examination in, 257-258
- Gastrointestinal disorders, in traveling elderly, 321-330
- Gastrointestinal tract, aging, 186-188
- Genitourinary infection, home intravenous antibiotic therapy for, 756
- Geriatric assessment, in home, 677-693.
 See also *Home assessment*.
- Giant cell arteritis, and permanent visual loss, 529-533
- Glaucoma, with carotid-cavernous fistula, 539
- L-Glutamate, for ischemic stroke, 462
- Glycerol, for cerebral edema, in ischemic stroke, 459
- GM₁ gangliosides, for ischemic stroke, 467-468
- Groshong catheter, for home intravenous therapy, 754
- Gut, aged, general perspectives on, 185-189
- Gynecologic factors, in sexual dysfunction, 41-57
 cancer, 51
 gynecologic surgery and therapy, 49-57
 postmenopausal problems, 44-45
- H₂ blockers, and sexual dysfunction, 102
- Hachinski Ischemic Score, for multi-infarct dementia, 600-601
- Haloperidol, for dementia home management, 797-798
- Hand, poststroke rehabilitation of, 515
- Headache, with chronic subdural hematoma, 587
 with intracerebral hemorrhage, 556
 with pituitary apoplexy, 534
 with subarachnoid hemorrhage, 570
- Health, and sexuality, in aging, 167-171
 home assessment of, 681
- Heart disease, and vascular dementia, 606
- Heart valves, prosthetic, and cardiogenic stroke, 431
- Heat stroke, in traveling elderly, 324
- Heaters, home assessment of, 721-722
- Height, measurement of, 199
- Helicobacter pylori* infection, and peptic ulcer disease, 236-238
- Hematemesis, upper gastrointestinal bleeding with, 257
- Hematoma, intracerebral, and seizures, 486
 subdural, chronic, 583-598. See also *Subdural hematoma*.
- Hemicraniectomy, for cerebral edema, in ischemic stroke, 460
- Hemiparesis, in chronic subdural hematoma, 587-588
 in lacunar infarction, 445-447
 poststroke rehabilitation of, 513
- Hemodilution, for ischemic stroke, 465-466
- Hemoptysis, with pulmonary embolism, in stroke patient, 479
- Hemorrhage, intracerebral, 549-567
 age distribution of, 549-551
 clinical features of, 556-562
 differential diagnosis of, 624
 distribution by site, 557
 in cerebral amyloid angiopathy, 618-619, 621-622
 incidence of, 549-550
 mechanisms of, 552-556
 risk factors for, 550-552
 treatment of, 562-564
 intracranial, seizures in, 485-488
 intraplaque, in carotid artery disease, prognosis with, 420
 subarachnoid, 569-582
 causes of, 578-581
 clinical presentation and diagnosis of, 571-574
 epidemiology of, 570
 in cerebral amyloid angiopathy, 620
 mortality in, 573
 premonitory signs in, 570-571
 seizures in, 487-488
 treatment of, 574-578
- Hemorrhagic infarction, computed tomography of, 434
- Hemorheologic treatment, for ischemic stroke, 465-466
- Hemorrhoids, and lower intestinal bleeding, 311
- Heparin, for acute cardiogenic stroke, 440

- for atherothromboembolic stroke prophylaxis, 411-412
- for deep venous thrombosis, in stroke patient, 479
- for ischemic stroke, 463-464
- for pulmonary embolism, in stroke patient, 479
- Heparin lock, for home intravenous therapy, 753
- Heparinoids, low molecular weight, for ischemic stroke, 464
- Hepatitis, type C, 376-378
- Hepatotoxicity, drug-induced, 371-374
- High-tech methods, for home pain management, 773-774
- Hip fracture, falls and, 709
- Home assessment, 677-693
 - checklist for, 682
 - comprehensive, 680-683
 - extent of, 681-682
 - medications in, 736-737
 - implications for primary care, 690-691
 - limitations and barriers to, 688-689
 - location of, 689-690
 - need for, 689
 - of assistive devices, 726
 - of medication, 734-737
 - of pain, 768-770
 - of safety, 718-729
 - outcomes from, 687-688
 - problems identified by, 684
 - recommendations from, 685-687
 - team approach to, 683
 - types of, 678-680
 - unresolved issues in, 689-690
 - yield of, 683-685
- Home health agency(ies), accreditation of, 853-854
 - certificate of need of, 853
 - Medicare certification of, 651, 852-853
 - physician as medical director of, 672
 - selection of, guidelines for, 855-857
 - state licensure of, 853
 - users of, 652
- Home health aide-homemaker, quality monitoring of, 858
- Home health care, 645-664
 - benefits of, 869
 - caregiver burden in, 817-829
 - cost-effectiveness of, 662, 865-874
 - definition of, 645-646
 - desirability of, 868-869
 - elderly use of, 653-661
 - family dynamics in, 817-829
 - financing for, 865
 - for respiratory problems, 777-786. See also *Respiratory problems*.
 - formal, effectiveness of, 661-662
 - functionally dependent community elderly receiving, 656-658
 - history of, 646-647
 - home assessment of, 679-680
 - hospice, 803-816. See also *Home hospice care*.
 - informal, 658-661
 - Medicare payment for, 866
 - quality assurance in, 847-863
 - activities in, 849-850
 - concerns in, 848
 - formal mechanisms of, 852-855
 - improvement in, 859-860
 - methods and goals of, 850-852
 - multidisciplinary perspectives of, 855-859
 - reasons for, 658
 - recent changes in, 667-668
 - role of physicians in, 665-675
 - academic physician and, 672-673
 - background, 666-668
 - decline in, 666
 - education, 669-671
 - home visits, importance of, 857
 - medical specialties, 671-673
 - quality assurance, 855
 - reasons, 668-669
 - reimbursement, 667, 673
 - responsibilities, 671
 - studies of, 870-872
 - third-party payment of, 647-653
 - unique aspects of, 848-849
 - visits involving, composition of, 871
- Home hospice care, 803-816
 - clinical aspects of, 809-814
 - death in, 814-815
 - ethical and legal aspects of, 807-808
 - goals of, 803
 - laboratory tests in, 813-814
 - Medicare certification of, 804-805
 - organization of, 804-807
 - reasons for, 804
 - reimbursement for, 807
 - team dynamics in, 806
 - treatment plan for, 805
- Home intravenous therapy, antibiotic, 749-763
 - drugs used in, 758-760
 - experience in elderly, 759-761
 - financial considerations in, 761
 - types of infection treated by, 756-758
- development of, 750-751
- equipment required for, 753-756
- patient selection for, 752
- types of, 751-752
- Home management, of dementia, 787-801. See also *Dementia(s)*.
- of intravenous antibiotics, 749-763. See also *Home intravenous therapy*.
- of medication, 733-748. See also *Medication*.
- of pain, 765-776. See also *Pain*.

- Home pharmacy, assessment of, 734-735
- Home rehabilitation, admission criteria for, 696
- multidisciplinary, 695-706
 - nursing care in, 697-699
 - occupational therapy in, 701-703
 - physical therapy in, 699-701
 - psychosocial issues in, 703-705
 - role of physician in, 696-697
- Home safety, 707-731
- Home visitor, home assessment by, 682
- Homemaker-home health aide, quality monitoring of, 858
- Hookworm, in traveling elderly, 326
- Hormone therapy, and sexual function in women, 90-91
- for impotence, 104
- Hospice care, home, 803-816. See also *Home hospice care.*
- Hospitals, physician view of elderly in, 388-389
- House calls, by physicians, 857
- in home assessment, 678-679
- Hyalinosis, in brain, 444
- Hydatid cysts, in traveling elderly, 327
- Hypercholesterolemia, and risk of stroke, 402
- Hyperestrogenemia, effect on sexuality, 120
- Hyperlipidemia, and vascular dementia, 606
- Hyperprolactinemia, effect on sexuality, 48, 120
- Hypertension, and intracerebral hemorrhage, 550
- and risk of stroke, 402
 - and vascular dementia, 606
 - control of, in cerebral amyloid angiopathy, 626
- Hyperthyroidism, effect on sexuality, 120
- Hyperventilation, for cerebral amyloid angiopathy, 626
- for intracranial hypertension, in intracerebral hemorrhage, 562
- Hypnotic effects, of antidepressants, 500
- Hypogonadism, in aging men, 88
- Hypotension, orthostatic, and falls, 711
- Hypothalamic-pituitary-testicular axis, age-related changes in, 87-89
- Hypothermia, in traveling elderly, 324
- Hypothyroidism, effect on sexuality, 120
- Hysterectomy, in older women, and sexual dysfunction, 49-50
- Illness, as agent of change, 827
- chronic, psychosocial aspects of, 125-126
- Imaging studies, of cerebral amyloid angiopathy, 625
- of lacunar infarction, 450
- Imipramine, for poststroke depression, 499-500
- Immunizations, pretravel advice concerning, 323
- Implantable port, for home intravenous therapy, 755
- Impotence, 63-72
- diabetes mellitus and, 114, 168
 - evaluation of, 68-69
 - pathogenesis and diagnosis of, 64-68
 - treatment of, 31, 69-70, 78
 - medications for, 104-107
 - urologic considerations in, 73-84
- Incontinence, urinary, effect on sexuality, 125
- Infection, and chronic subdural hematoma, 584
- and subarachnoid hemorrhage, 580
- Infectious colitis, and lower intestinal bleeding, 309-311
- Inflammatory bowel disease, 287-299
- and lower intestinal bleeding, 309
 - cancer risk in, 295
 - causes of, 293-294
 - diagnosis of, 288-293
 - incidence and prevalence of, 288-289
 - natural history of, 294-295
 - surgery for, 296
 - treatment of, 290, 295-297
 - university-based experience with, 297-298
- Infusion pumps, for home pain management, 773
- Intercourse, frequency of, with aging, 44, 86
- Interpersonal factors, and sexual dysfunction, 135-136
- Intestinal bleeding, lower, 301-319
- causes and clinical features of, 301-312
 - evaluation and management of, 312-316
 - upper, 255-264
- Intracranial hemorrhage, seizures in, 485-488
- Intracranial pressure, elevated, in intracerebral hemorrhage, 556, 562-563
- in ischemic stroke, 458-459
 - low, and chronic subdural hematoma, 584
- Intrapersonal issues, and sexual dysfunction, 135
- Intravenous antibiotic therapy, home-administered, 749-763. See also *Home intravenous therapy.*
- Intussusception, and lower intestinal bleeding, 311
- Ipratropium bromide, for home respiratory care, 779-780
- Irritable bowel syndrome, 265-286
- anorectal abnormalities and, 272
 - cause of, 271-275
 - diet in, 273

- physiologic factors in, 271-273
 - psychosocial factors in, 273-275
 - clinical features of, 267-268
 - colonic motility and, 271-272
 - definition of, 266-267
 - diagnosis of, 275-276
 - epidemiology of, 268-271
 - community data on, 269-271
 - outpatient data on, 268-269
 - future prospects in, 281
 - Manning criteria for, 270
 - motility patterns and, 273
 - pain perception and, 274-275
 - personality characteristics and, 273-274
 - presenters vs nonpresenters of, 270-271
 - prognosis in, 271-275, 281
 - relation to diverticular disease, 275
 - stressful life events and, 274
 - treatment of, 276-281
- Jaundice, obstructive, 356
- with ischemic liver injury, 376
- Johns Hopkins Functional Inventory, of poststroke depression, 497
- Joint Commission on Accreditation of Healthcare Organizations (JCAHO), 853-854, 863
- Justice, in elder abuse, 841-842
- Kitchen, home assessment of, 722-723
- Labetalol, for blood pressure management, in stroke patient, 476-477
- for intracranial hypertension, in intracerebral hemorrhage, 562
- Lacunar infarction, 443-453
- dementia with, 608-609
 - evaluation of, 449-451
 - management of, 451-452
 - pathology of, 444
 - prevention of, 452
 - syndromes of, 445-449
- Lazaroids, for ischemic stroke, 468
- Lean body mass, aging-related changes in, 193
- Leg, range of motion in, poststroke rehabilitation of, 513
- Leptomeninges, biopsy of, for cerebral amyloid angiopathy, 625
- L'État lacunaire, dementia with, 608-609
- Leuko-araiosis, role in vascular dementia, 607
- Life events, stressful, and irritable bowel syndrome, 274
- Lighting, home assessment of, 721
- Lipohyalinosis, in brain, 444
- Lithium, for dementia home management, 799
- Liver diseases, 371-385
- abscess, in traveling elderly, 327
 - flukes, in traveling elderly, 327
 - ischemic, 374-376
 - type C hepatitis, 377
- Living situations, dependent, sexuality in, 153-160
- Living will, 808
- Lobar hemorrhage, clinical features of, 559-561
- Locomotion, in home rehabilitation, 700
- Loperamide, for irritable bowel syndrome, 279
- Lower intestinal bleeding, 301-319
- Loxapine, for dementia home management, 797-798
- Luteinizing hormone, diminished responsiveness to, in aging men, 88
- Lymphoma, intestinal, inflammatory bowel disease vs, 293
- Macronutrient needs, aging-related changes in, 194-195
- Magnetic resonance imaging, for chronic subdural hematoma, 590
- for subarachnoid hemorrhage, 572
- Malignant disease, and sexual dysfunction, 51-57
- Malnutrition, effect on sexuality, 116
- prevalence of, 196-197
- Mannitol, for cerebral edema, in ischemic stroke, 459
- for chronic subdural hematoma, 592
- Maprotiline, for poststroke depression, 502
- Marital arrangements, effect on home health care, 823-825
- Mass lesion, in cerebral amyloid angiopathy, 620
- Mastectomy, and sexual dysfunction, 54-56
- Masturbation, as measure of sexual interest, 45
- Mathew scale, of neurologic function, 461
- Medicaid, in home health care, 648
- Medical care, rationing of, in aging, 390-392
- Medical information, caregiver conflict concerning, 818
- Medical societies, home health care quality assurance by, 858-859
- Medicare, home health care agency certification by, 651, 852-853
- home health care payment by, 648, 866
- Medication(s), dangerous, in elderly, 736
- home management of, 733-748

Medication(s) (*Continued*)

- assessment of, 734-737
- epidemiology of, 734
- monitoring of, 737-739
 - continuous, 737
 - devices for, 739
 - first-dose, 737-739
 - flow sheet for, 738
- technology advances and, 742-744
- multiple, and falls, 712
 - and patient noncompliance, 740
- prescription of, optimization of, 735-736
- role in geriatric sexual function, 34-35, 95-111, 118-120, 171-172
 - in female, 57
 - in male, 66
- Memory disturbance, effect on sexual function, 140
 - in dementia, home management of, 792-793
- Men, aging, sexual changes in, 161-163
 - sexual function in, 86-89
 - sexual physiology of, 96-97
 - technology and, 172-173
- Menopause, and decline in sexual activity, 47-49, 89-90
- Mental status, changes in, in chronic subdural hematoma, 587-588
- Metabolic rate, resting, aging-related changes in, 193
- Metoclopramide, and sexual dysfunction, 102
- Microatheroma, in brain, 444
- Misoprostol, gastric ulcer prevention with, clinical trials of, 247
- Mobility, poststroke rehabilitation of, 512-514
- Mountain sickness, in traveling elderly, 324
- Movement disorders, involuntary, lacunar infarction and, 448
- Multi-infarct dementia, 599-615. See also *Dementia(s), vascular (multi-infarct)*.
- Muscle weakness, and falls, 710
- Myasthenia gravis, and oropharyngeal dysphagia, 219
- Mycotic aneurysm, intracerebral, and subarachnoid hemorrhage, 580
- Myocardial infarction, and cardiogenic stroke, 431
 - and sexual function, 170
- Naftidrofuryl, for ischemic stroke, 467
- Naloxone, for ischemic stroke, 462
- Narcotics, for pain control, 811
- Nasogastric aspiration, for lower intestinal bleeding, 312
- National Association for Home Care (NAHC), 857, 863
- National Home Caring Council (NHCC), 855, 863
- National Long-Term Care Demonstration, results of, 868
- Nausea, in irritable bowel syndrome, 268
- Neglect, 833-834, 837
- Nervous system, peripheral, in aging men, 96-97
- Neuro-ophthalmologic vascular emergencies, 525-548
- Neurobehavioral problems, poststroke rehabilitation of, 517-518
- Neuroleptics, and sexual dysfunction, 99
 - for dementia home management, 796-798
- Neuromuscular disorders, and oropharyngeal dysphagia, 219
- Neuronal functioning, disturbances of, and poststroke depression, 497
- Nicardipine, for ischemic stroke, 461
 - for subarachnoid hemorrhage, 577
- Nimodipine, for ischemic stroke, 460
 - for subarachnoid hemorrhage, 577
- Nonmaleficence, in elder abuse, 842
- Nonsteroidal anti-inflammatory drugs, for home pain management, 770
 - ulcers associated with, 233-235, 244-248
 - complications due to, 234-235
 - management of, 246-248
 - prophylaxis for, 246-248
 - recommendations concerning, 248
- Norepinephrine, for ischemic stroke, 467
- Nortriptyline, for poststroke depression, 499-500
- Nuchal rigidity, with subarachnoid hemorrhage, 571
- Nursing care, in home rehabilitation, 697-699
- Nursing homes, sexual expression in, 157
- Nutrition, aging-related changes in, 193-196
 - poor, causes of, 194-195
 - poststroke rehabilitation of, 516-517
 - problems of, 191-214
 - assessment of, 198-200
 - intervention in, 200-210
 - recommended daily allowances for, 195
- Obsessive-compulsive disorder, in sexual dysfunction, case study of, 147-148
- Occupational therapy, in home rehabilitation, 701-703
- Ocular motility, disturbances of, 535-544
- Ocular palsy, 541-544
- Older Americans Act, in home health care, 649
- Oligospermia, diabetes mellitus and, 114
- Oophorectomy, and sexual dysfunction, 50-51

- in older women, and sexual dysfunction, 54
- Opiates, for home pain management, 771
- Opioids, and sexual dysfunction, 103
- Optic neuropathy, and permanent visual loss, 529-533
- Oral supplementation, 200-204
- ORG 10172, for ischemic stroke, 464
- Orgasm, impairment of, diabetes mellitus and, 114
- Oromotor function, poststroke rehabilitation of, 516
- Oropharyngeal dysphagia, 217-221
- Orthostasis, with antidepressants, 500-501
- Osteomyelitis, home intravenous antibiotic therapy for, 756
- Otitis media, home intravenous antibiotic therapy for, 757
- Outcome, in home health care, 850
- Outdoors, home assessment of, 725-728
- Outpatient intravenous programs, 749-763. See also *Home intravenous therapy*.
- Oxygen, for home respiratory care, 780-782
 - supplemental, for stroke patient, 456, 477
- Pain, control of, adjuvant therapy in, 812
 - hospice guidelines for, 809-812
 - narcotics for, 811
 - side effects of, 810
- home management of, 765-776
 - assessment of, 768-770
 - diary for, 770
 - experience of, 766
 - family involvement in, 767-768
 - nonpharmacologic, 772-773
 - pharmacologic, 770-772
 - supportive care in, 774
- perception of, and irritable bowel syndrome, 274-275
- periobital, in cavernous sinus syndrome, 535
- Pancreatitis, biliary, 357-358
- Papaverine, penile injection of, for impotence, 105-107
- Parasitism, in traveling elderly, 325-326
- Parenteral nutritional support, 209-210
- Parietal lobe, hemorrhage in, clinical features of, 559-561
 - right, lesions of, and poststroke depression, 498
- Parkinson's disease, and oropharyngeal dysphagia, 218-219
 - effect on sexuality, 124-125
- Patient compliance, factors underlying, 737
 - home assessment of, 729
 - in home medication treatment, 740-742
 - aids to, 741-742
 - failure of, 740-741
- Pelvic exenteration, and sexual dysfunction, 56
- Penile injections, for erectile failure, 69, 80, 105-107, 173
- Penile orthoses, for erectile failure, 79-80
- Penile prostheses, for erectile failure, 69, 80-82, 172-173
- Penile stimulation, need for, in aging men, 162
- Penile vascular surgery, for erectile failure, 82
- Pentastarch, for ischemic stroke, 466
- Pentoxifylline, for atherothromboembolic stroke prophylaxis, 410-411
 - for ischemic stroke, 466
- Peptic stricture, and esophageal dysphagia, 226
- Peptic ulcer disease, clinical features of, 238-239
 - diagnosis of, 239-240
 - epidemiology of, 231-233
 - prognosis in, factors affecting, 232
 - risk factors in, 233-238
 - specific problems of, 240-250
- Peripheral venous nutrition, 209
- Personality characteristics, and irritable bowel syndrome, 273-274
- Pharmacy, consultant services by, and home medication treatment, 744-745
 - home, assessment of, 734-735
- Phentolamine, penile injection of, for impotence, 105-107
- Phenytoin, for poststroke seizures, 489
- Photophobia, with subarachnoid hemorrhage, 571
- Photosensitivity, drug-induced, 324
- Physical abuse, 833-834, 838-839
- Physical illness, and sexual dysfunction, 33
- Physical impairment, as barrier to sexual expression, 158
- Physical methods, for home pain management, 772
- Physical therapy, in home rehabilitation, 699-701
- Physical violence, in dementia, home management of, 796
- Physicians, role in home health care, 665-675. See also *Home health care, role of physicians in*.
- Pituitary apoplexy, 533-535
- Plasminogen activator, tissue-type, for ischemic stroke, 465
- Pneumonia, prevention and treatment of, in stroke patient, 477-478
- Polymyositis, and oropharyngeal dysphagia, 219
- Pons, hemorrhage in, 562
 - lacunar infarction of, 447
- Position changes, for sexual dysfunction, 32

- Power relationships, in family, effect on home health care, 825
- Prednisone, for giant cell arteritis, 531
- Pressure sores, in home hospice care, 813
- Primary care, implications of home assessment for, 690-691
- Problem-solving strategies, in family, effect on home health care, 825-826
- Proctocolitis, radiation, and lower intestinal bleeding, 311
- Prolactin, and male sexual dysfunction, 88-89
- Propranolol, for dementia home management, 799
- for ischemic stroke, 467
- Proptosis, with carotid-cavernous fistula, 538
- Prostacyclin, for ischemic stroke, 463
- Prostaglandin E₁, penile injection of, for impotence, 107
- Prostate, cancer of, and erectile failure, 75-76
- disease of, and sexual function, 171
- Prosthetic devices, infections of, home intravenous antibiotic therapy for, 757
- Protein, in tube feeding formulas, 205
- need for, aging-related changes in, 193-194
- Provider education, in home assessment, 680
- Pseudomembranous colitis, and lower intestinal bleeding, 310
- Psychiatric disorders, and irritable bowel syndrome, 273-274
- and sexual function, 136-142
- Psychoactive drugs, and impotence, 66, 98-99
- for dementia home management, 796-799
- Psychological abuse, 834, 839-840
- Psychological disorder, and sexual dysfunction, 34, 133-151
- Psychological methods, for home pain management, 773
- Psychosocial issues, in home rehabilitation, 703-705
- Psychotherapy, for irritable bowel syndrome, 279
- Pulmonary disease, chronic obstructive, effect on sexuality, 125
- home oxygen therapy for, 780-782
- Pulmonary embolism, prevention and treatment of, in stroke patient, 478-480
- Pulmonary infection, home intravenous antibiotic therapy for, 756
- Pupillary sphincter, in ocular palsy diagnosis, 542-543
- Putamen, hemorrhage in, 557-558
- lacunar infarction of, 449
- PY-108-068, for ischemic stroke, 461
- Quality assurance, in home health care, 847-863. See also *Home health care, quality assurance in.*
- Quality Indicator Groups, for home health care, 851-852
- Radiation proctocolitis, and lower intestinal bleeding, 311
- Radiation therapy, for carotid-cavernous fistula, 539-540
- in older women, and sexual dysfunction, 57
- Radiography, for lower intestinal bleeding, 314
- Range of motion exercises, following stroke, 509
- Rankin Disability Scale, for stroke outcome, 519-520
- Recommended daily allowances, of nutrients, 195
- Rectal urgency, in irritable bowel syndrome, 267-268
- Rectum, cancer of, 331-346. See also *Colorectal cancer.*
- examination of, for lower intestinal bleeding, 312
- Rehabilitation, home, multidisciplinary, 695-706. See also *Home rehabilitation.*
- of stroke patient, 507-523
- Renal dialysis, and sexual function, 170-171
- Renal failure, effect on sexuality, 121
- Reperfusion therapy, for ischemic stroke, 464-465
- Resource allocation, caregiver conflict concerning, 818
- Respiratory problems, home care for, 777-786
- beta-2 sympathomimetic bronchodilators for, 778-779
- patient education in, 778
- smoking cessation in, 778
- therapies for, 779-782
- in stroke patient, 477-480
- Resting metabolic rate, aging-related changes in, 193
- Restlessness, in dementia, home management of, 793
- Retinal artery occlusion, and permanent visual loss, 527-529
- Retirement, free vs forced, 389-390
- Role changes, in home rehabilitation, 704
- Safety, in home rehabilitation, 702
- Sarcoidosis, and chronic subdural hematoma, 584
- Schizophrenia, and sexual dysfunction, 139

- case study of, 146-147
- Scintigraphy, for lower intestinal bleeding, 313
- Scleroderma, and esophageal dysphagia, 225
- Sedative effects, of antidepressants, 500
- Seizures, poststroke, 483-492
 - management of, 488-490, 562
 - prevention of, 457
 - with chronic subdural hematoma, 593
 - with pituitary apoplexy, 534
 - with subarachnoid hemorrhage, 571
- Self-neglect, of elderly, 833-834
- Senior housing complexes, sexual expression in, 155
- Sexual abuse, signs of, 838
- Sexual complaints, 161-179. *See also Sexual dysfunction.*
 - assessment of, 30
 - common, 21
 - definitions of, 17-18
 - epidemiology of, 18-21
 - evaluation and treatment of, 15-39
 - barriers to, 21-23
 - data gathering for, 25
 - flow chart for, 24
 - gender-specific questions for, 27
 - laboratory tests for, 29-30
 - physical examination in, 26-29
 - sexual history in, 9-13, 23-26
 - special studies for, 30
 - referral for treatment of, 34-35
- Sexual dysfunction, 161-179. *See also Sexual complaints.*
 - factors contributing to, 19
 - gynecologic factors in, 41-61
 - medication-induced, 98-103
 - multifactorial, case study of, 175-177
 - pharmacotherapy of, 104-108
 - psychiatric disorders and, 136-142
 - psychologic disorder and, 133-151
 - treatment outcomes in, 145
 - role in poststroke depression, 503
 - types of, 20
 - urologic treatment of, 78-82
- Sexual expression, barriers to, 157-159
 - in board-and-care facilities, 156-157
 - in living with adult children, 155-156
 - in nursing homes, 157
 - in senior housing complexes, 155
 - marital status and, 18
- Sexual function. *See also Sexual complaints; Sexual dysfunction.*
 - definitions of, 17-18
 - evaluation of, 15-39
 - barriers to, 21-23
 - data gathering for, 25
 - eliciting sexual concerns in, 26
 - flow chart for, 24
 - gender-specific questions for, 27
 - in aging men, 63-72, 86-89
 - in aging women, 42-47, 89-91
 - maintenance of, medications for, 107-108
 - medications affecting, 35, 95-111
 - physiology of, 96-98
 - poststroke rehabilitation of, 519
 - psychologic barriers to, 135-136
 - substances affecting, 34-35, 138
- Sexual history, screening, 9-13
 - content of, 12-13
 - goals of, 10-11
 - technique of, 11-12
 - taking of, 21
- Sexuality, and aging, 1-7, 19, 65, 173-175
 - future explorations of, 6
 - gender-specific factors in, 3-4
 - myths of, 2-3
 - practice issues in, 4-5
 - psychologic and cultural issues in, 165-167
 - societal attitudes toward, 5-6
 - chronic diseases and, 113-131
 - effect of medication on, 95-111, 171-172
 - endocrine factors in, 85-93
 - in dependent living situations, 153-160
 - interest in, 42-43
 - physician's view of, 16
 - setting-specific aspects of, 154-157
- Shock liver, 375
- Sickle cell anemia, and subarachnoid hemorrhage, 580
- Sigmoidoscopy, for colorectal cancer, 334
 - for lower intestinal bleeding, 312
- Silastic catheter, for home intravenous therapy, 755
- Sinusitis, home intravenous antibiotic therapy for, 757
- Skin care, poststroke, 480-481, 509
- Sleep apnea syndrome, home respiratory care for, 783-784
- Smoke detectors, home assessment of, 721-722
- Smoking. *See Cigarette smoking.*
- Social Services Block Grants, in home health care, 649
- Social system, home assessment of, 682
 - lack of, and elder abuse, 836
 - poststroke rehabilitation of, 518-519
- Societal attitudes, and sexual expression, 158
- Spastic colon, incidence by age, race, and sex, 270
- Speech, poststroke rehabilitation of, 516
- Spinal infusion, for home pain management, 773
- Spouse, role in poststroke depression, 503
- Stairs/hallways, home assessment of, 725
- Steroids, for cavernous sinus syndrome, 537
 - for chronic subdural hematoma, 591-592
 - for giant cell arteritis, 531

Steroids (*Continued*)

- for intracranial hypertension, 562-563
- Streptokinase, for ischemic stroke, 465
- Stroke, acute interventions for, 508-510
 - and oropharyngeal dysphagia, 218
 - atherothromboembolic, prevention of, 401-416
- cardiogenic, 429-442
 - antithrombotic therapy for, 439-440
 - diagnosis of, 430-434
 - epidemiology of, 430
 - frequency of, 430
 - hemorrhagic transformation of, 439
 - prophylaxis for, 437
- depression following, 493-506. See also *Depression, poststroke*.
- hemorrhagic, and seizures, 484
- ischemic, medical management of, 455-473
- lacunar, 443-453. See also *Lacunar infarction*.
- medical complications of, 475-482
- rehabilitation of, 507-523
 - eligibility for, 510-511
 - focuses of, 512-519
 - mechanisms of recovery in, 521
 - outcome in, 519-521
 - prediction of, 511-512
- risk factors for, in carotid artery disease, 420
 - management of, 402-403
- seizures following, 483-492. See also *Seizures*.
- sensorimotor, in lacunar infarction, 446
- sensory, pure, in lacunar infarction, 445-446
- with pituitary apoplexy, 534
- Subarachnoid hemorrhage, 569-582. See also under *Hemorrhage*.
- Subdural hematoma, chronic, 583-598
 - clinical presentation of, 587-588
 - diagnostic evaluation of, 588-591
 - drainage/evacuation of, 592
 - pathophysiology of, 585-586
 - physical examination in, 588
 - reaccumulation of, 593
 - seizures with, 488
 - treatment of, 591-594
 - complications of, 593-594
 - outcome in, 594
- Substance abuse, and sexual dysfunction, 34-35, 138
- Sulfasalazine, for inflammatory bowel disease, 296
- Sulfapyrazone, for atherothromboembolic stroke prophylaxis, 409-410
- Surgery, disfiguring, and sexual dysfunction, 34
- Swallowing, disorders of, 215-230
 - poststroke rehabilitation of, 516-517
- Symmetrical marital arrangement, effect on home health care, 824-825
- Sympatholytics, and sexual dysfunction, 100-101
- Syncope, and falls, 711
- Syndrome of inappropriate antidiuretic hormone secretion, with chronic subdural hematoma, 593
- Tachypnea, with pulmonary embolism, in stroke patient, 479
- Tapeworm, in traveling elderly, 326
- Technology advances, and home medication treatment, 742-744
- Temporal artery, biopsy of, in giant cell arteritis, 530-531
- Temporal lobe, hemorrhage in, 559-561
- TENS, for home pain management, 772-773
- Testosterone, changes with aging, 86
 - effect on sexual function, 87, 90-91
 - deficient, in sexual dysfunction, case study of, 147-148
 - for impotence, 69, 104
- Thalamus, hemorrhage in, 558-559
- lacunar infarction of, 448
- Theophylline therapy, for home respiratory care, 780
- Thioridazine, for dementia home management, 798
- Third-nerve palsy, and ocular motility disturbances, 541-544
- Thrombolysis, for ischemic stroke, 464-465
- Thumbprint sign, with lower intestinal bleeding, 314, 315
- Thyroid disorders, effect on sexuality, 120
- TIA. See *Transient ischemic attack(s)*.
- Ticlopidine, for atherothromboembolic stroke prophylaxis, 407-409
 - for carotid artery disease, 421
 - for ischemic stroke, 463
- Time management, caregiver conflict concerning, 818
- Tissue-type plasminogen activator (tPA), for ischemic stroke, 465
- Tobacco, and sexual dysfunction, 103
- Tolosa-Hunt syndrome, and ocular motility disturbances, 540-541
- Transcutaneous electrical nerve stimulation, for home pain management, 772-773
- Transfer ability, in home rehabilitation, 700
- Transient ischemic attack(s), and stroke, 402
 - anticoagulants for, 411-413
 - aspirin for, 404-407
 - cardiogenic sources of, 432
 - dipyridamole for, 409
 - heparin for, 411-412
 - in cerebral amyloid angiopathy, 619
 - in chronic subdural hematoma, 587

- pentoxifylline for, 410-411
- risk of, in carotid artery disease, 421
- sulfipyrazone for, 409-410
- ticlopidine for, 407-409
- visual loss in, 525-527
- warfarin for, 412
- Trauma, and chronic subdural hematoma, 584
- Travel-related problems, in elderly, 323-328
- Trazodone, for poststroke depression, 499, 502
- Treatment orders, for home respiratory care, 782
- Tricyclic antidepressants, for poststroke depression, 499
- metabolism of, in stroke patient, 501
- Tube feeding, complications of, 207-209
 - formulas for, 205-207
 - institution of, 205
 - tube placement in, 205
 - use of, 204
- Tumors, intracerebral, and subarachnoid hemorrhage, 580
- intracranial, and intracerebral hemorrhage, 556
- Type C hepatitis, in elderly, 376-378
- UK-TIA study, 405, 407
- Ulcer(s), complications of, 243-244
 - drug therapy of, side effects of, 249-250
 - nonsteroidal anti-inflammatory drug-associated, 244-248
 - bleeding of, 234
 - management of, 246-248
 - mortality of, 234-235
 - perforation of, 234
 - prophylaxis against, 246-248
 - recommendations concerning, 248
- Ulcerative colitis, 287-288
- Upper gastrointestinal bleeding, management of, 255-264
- Upper limb, poststroke protection of, 509
- poststroke rehabilitation of, 515
- Urinary catheterization, following stroke, 509
- Urinary incontinence, effect on sexuality, 125
- Urinary tract infection, poststroke
 - prevention and treatment of, 480
- Urokinase, for ischemic stroke, 465
- Urologic considerations, in geriatric erectile failure, 73-84
- Vacuum tumescent devices, for impotence, 69-70
- Vagina, changes with aging, atrophy, 28, 164
 - decreased blood flow, 90
 - decreased lubrication, 89, 164
- Valproate, for poststroke seizures, 489
- Vascular dementias, 599-615. See also under *Dementia(s)*.
- Vascular destruction, plasmatic, in brain, 444
- Vascular ectasias, and lower intestinal bleeding, 302-304
- Vascular emergencies, neuro-ophthalmologic, 525-548
- Vascular system, in aging men, 97
- Vasodilators, and sexual dysfunction, 101
- Vasopressors, for ischemic stroke, 467
- Venesection, for ischemic stroke, 466
- Venous disease, and erectile failure, 77-78
- Venous thrombosis, poststroke prevention of, 457, 509
- Ventilation, establishment of, in ischemic stroke, 456
- Ventilation-perfusion lung scan, for pulmonary embolism, in stroke patient, 479
- Ventilators, for home respiratory care, 782
- Violence, in dementia, home management of, 796
- Vision, disorders of, 525-535
 - impaired, and medication noncompliance, 741-743
 - loss of, permanent, 527-533
 - transient, 525-527
 - with pituitary apoplexy, 534
- Vomiting, in intracerebral hemorrhage, 556
- in irritable bowel syndrome, 268
- in traveling elderly, 328
- Vulvectomy, and sexual dysfunction, 52-54
- Wandering, in dementia, home management of, 795-796
- Warfarin, for atherothromboembolic stroke
 - prophylaxis, 412
 - for carotid artery disease, 421
 - for deep venous thrombosis, in stroke patient, 479
 - for pulmonary embolism, in stroke patient, 479
- Warning leaks, with subarachnoid hemorrhage, 570-571
- Water needs, in tube-fed elderly, 207
- Weakness, in home hospice care, 813
- Weight, measurement of, 198-199
- Wernicke's aphasia, stroke involving, 433
- White-matter disease, role in vascular dementia, 607
- Widower's syndrome, sexual dysfunction in, 166-167

- Widowhood, as barrier to sexual expression, 158
- Women, aging, sexual changes in, 163-165
sexual function in, 89-91
sexual physiology of, 20, 97-98
- Yohimbine, for impotence, 104-105
- Zenker's diverticulum, and oropharyngeal dysphagia, 220

